SPRING SPECIALS

April - June 2024

AMERICAN PRODUCERS SUPPLY
Industrial, Construction and Oil Field Supplies

DEWALT

2X20V MAX* 21-1/2" Brushless Cordless FWD Self-Propelled Lawn Mower



DCMWSP244U2 (.1087292) ***Special Order Only***

- Up to 60 minutes of Runtime per charge** using (2) DEWALT 20V MAX* DCB210 10.0AH batteries
- Takes up 70% less space
- Brushless direct drive motor delivers high-voltage cutting

20V MAX* XR® Brushless Cordless Handheld Blower



DCBL722B (.996642) ***Bare Tool***

DCBL722P1 (.1020625) ***Kit - Includes (1) DCB205 5.0AH battery, charger & concentrator nozzle***

- Up to 450 CFM of air volume and up to 125 MPH with concentrator
- Innovative axial fan design that maximizes on air output and run time
- Low noise during operation - 66 dB(A)

20V MAX* XR® Compact 12" Cordless Chainsaw



DCCS620B (.939079) ***Bare Tool***

DCCS620P1 (.921651) ***Kit - Includes (1) 5.0Ah battery & charger. Special Order Only***

- Low kick back 12" bar and chain for construction and outdoor cutting applications
- Compact, lightweight design (9 lbs. with battery) for maximum user control
- High-efficiency brushless motor

20V MAX* 13" Cordless String Trimmer



DCST925B (.1005987) ***Bare Tool***

DCST925M1 (.1049954) ***Kit - Includes (1) 4.0Ah battery and charger - Special Order Only***

- Gear drive transmission design that powers through overgrowth
- Variable-speed trigger with high/low speed control gives added power or extended runtime

13 Locations to Serve You!

www.americanproducers.com

Marietta, OH	Columbus, OH	Sunbury, OH	Lancaster, OH	Cincinnati, OH	Portsmouth, OH	Ferdinand, IN
119 Second Street	590 N Hague Ave	6914 St Rt 37E	1806 Victor Rd	10770 Kenwood Rd	1763 10th St	2130 Industrial Park Rd
(740) 373-5050	(614) 272-1113	(740) 362-7249	(740) 654-3711	(513) 791-4252	(740) 354-3479	(812) 998-2130

Huntington, WV	St. Albans, WV	Pittsburgh, PA	Louisville, KY	Glasgow, KY	Wixom, MI
333 Washington Ave	2822 Winfield Rd	7724 Edgewood Ave	520 South 15th St	129 Beaver Trail	30270 Beck Rd
(304) 525-3545	(304) 755-0009	(412) 220-2370	(502) 583-3875	(270) 861-0060	(248) 669-4040

Professional Tool Repair


American Producers Supply offers repair services for a variety of tools and equipment at our locations in Marietta, Huntington and Wixom. We can repair most professional brands of power tools. We also can do warranty work on tools for which we are an authorized repair center. Our capabilities include:

- Authorized repair center for DeWalt, Milwaukee and Stihl
- Authroized repair center for Honda Power Equipment and Husqvarna Construction Products
- Authorized Enerpac Service Center
- Repair of Hydraulic and Pneumatic Tools including Ingersoll Rand,Chicago Pneumatic, and Power Team
- Repair, Load Test and Certification of electric hoists, chain hoists and pullers
- Authorized repair center for CM Hoists
- Authorized repair center for Champion mag drills
- Authorized service center for Makita









Authorized Service Center For

Milwaukee
CHAMPION CUTTING TOOL CORP
DEWALT
GENERAC
CM
Husqvarna Construction Products
FALLTECH Fall Protection. Precision Engineered.
ENERPAC
BOSCH
RIDGID Pipe Threading Tools SeeSnake®
metabo
SENCO
STIHL
HONDA
EQUALIZER INTERNATIONAL
SIMPLEX


Table of Contents

Abrasives 41-42
Concrete Supplies 19-21
Construction Supplies 14-16
Fall Protection 29-31
Industrial Bolting 17-18
Janitorial Supplies 43
Jobsite Storage 35-36
Ladders 32
Lifting and Rigging 1-4
Lighting 25-26
Power Tools 5-13
Safety and PPE 22-24
Tools, Cutting 37-40
Tools, Electricians' 33-34
Tools, Hand 44-47
Tools, Pipe 27-28
Closeout 48

* Prices effective through 6/30/2024. Subject to availability. Prices subject to change without notice. Freight charges may apply. American Producers Supply is not responsible for errors or omissions.

Visit our website for deals on construction supplies, power tools, abrasives, safety and PPE and more!

www.americanproducers.com



Series 602/603 Mini Ratchet Lever Hoist

The CM Series 602 Mini Ratchet Lever Hoist features the most compact and comfortable ratchet lever hoist in the market. It performs just like the larger models.

- Weston type braking system.
- Simple one-handed operation.
- Forged upper and lower hooks with latches standard.
- Impact resistant, all-steel frame, gear case and cover
- Metric rated.
- Hardened link-type alloy steel load chain for strength.
- Free wheeling feature serves to quickly attach the load.



Cat./Item #	Capacity	Lift
0210 (.349630)	550 lbs.	5 ft.
0214 (.700879)	550 lbs.	10 ft.
0215 (.702785)	1100 lbs.	5 ft.
0216 (.737386)	1100 lbs.	10 ft.

Series 653 Lever Operated Hoist

The CM Series 653 Lever Operated Hoist features a short handle and minimal lever pull effort combined with high quality, rugged, steel for close quarter pulling, stretching, and hoisting applications.

- Weston type braking system.
- Simple one-handed free chaining.
- Forged upper and lower hooks with heavy cast steel latches.
- 5-year warranty against defects in material and workmanship.
- Metric rated.
- Meets ASME B30.21 - Manually Lever Operated Hoist Standard and European CE Standard.



Item #	Capacity	Lift
5311 (.614595)	¾ ton	10 ft.
5312 (.706327)	¾ ton	15 ft.
5328 (.676277)	1 ton	5 ft.
5315 (.209979)	1½ ton	5 ft.
5316 (.138560)	1½ ton	10 ft.
5317 (.138869)	1½ ton	15 ft.
5321 (.767953)	3 ton	10 ft.

Series 622A Chain Hoist Series

The CM Series 622-A hand chain hoist features a simple, efficient and economical design. With an ultra-low-headroom profile and lightweight steel construction, the CM 622-A is easy to install, even in confined spaces.

- Durable steel frame with heat-treated, load-bearing components.
- Forged hooks swivel 360.
- Hand wheel cover with guide slots.
- Weston-type brake stays clean and dry.
- Hardened load chain for flexibility.
- Easy to operate, units feature pull forces as low as 50 lbs.

Item #	Capacity	Lift
2255A (.60798)	½ ton	10 ft.
2208A (.107970)	½ ton	15 ft.
2256A (.773056)	1 ton	10 ft.
2210A (.113926)	1 ton	15 ft.
2262A (.109459)	1 ton	20 ft.
2264A (.105786)	1 ton	30 ft.
2258A (.766566)	2 ton	10 ft.
2213A (.680642)	2 ton	15 ft.
2233A (.114469)	2 ton	20 ft.
2259A (.766567)	3 ton	10 ft.



Super Strong Anchor Shackles

CM Super Strong Shackles are carbon-type shackles with strength ratings that are up to 50% stronger than comparable-sized carbon shackles. These shackles are designed with a 6:1 safety factor. Anchor shackles can be side loaded or used for multiple connections.

- Shackles show major deformation before failure
- Manufactured from micro alloy steel for optimal strength
- Available in sizes 3⁄16" to 2½"
- Permanent markings on body indicate working load limit
- Other styles available now by special order



Bolt, Nut & Cotter



Round Pin



Screw Pin


Call for sizes

Sling Manufacturing, Repair & Certification









Our rigging technicians manufacture custom chain and wire rope slings at our facility in Huntington.

American Producers Supply manufactures custom chain and wire rope slings at our facility in Huntington. We use high-quality chain and hardware from CM and Crosby, and choose domestic-made materials whenever available. Each sling we build is proof-tested in our test bed and certified.

Our staff is certified and licensed to perform inspections of chain, web, and wire slings in-house or at the customer's site. Damaged slings that are repairable can be sent to the Huntington facility for repair, testing and re-certification.

American Producers will also conduct training seminars for customers on the proper use, inspection and care of chain, wire and web slings. We have our own qualified trainers and also utilize experts from our suppliers.

The Huntington location provides Radio Frequency ID (RFID) Services for harnesses, lanyards, safety gear, critical slings, and many other applications.

- Educational seminars on the care, use and inspection of chain slings, wire rope, wire mesh slings and round slings.
- Visual inspection of under hook lifting devices
- Load testing of chain, wire rope, and Nylon/Polyester slings.
- Particle die testing series
- Visual inspection of hoist and pullers Load testing of hoist and pullers





the Crosby group | LiftAll | PEERLESS | HARRINGTON

HARRINGTON
A XTO GROUP COMPANY

TCL Series lube free air hoists

TCL Series lube free air hoists are able to operate without air supply lubrication which leaves the surrounding environment free of oil mist from the air exhaust. Our TCL series hoists are recommended for use in any area where oil mist cannot be tolerated such as in food, chemical or pharmaceutical industries. These hoists feature precise load positioning with either pendant or cord control.



LB Series Lever Hoist

The LB Series of lever hoists offers a low headroom, compact design that is perfect for use in tight quarters.

- Rugged, all-steel construction that actually weighs less than comparable aluminum models.
- Grade 100 heat-treated load chain is nickel plated.
- Forged and heat-treated alloy steel hooks. Top and bottom hooks rotate 360˚.
- Weston-style load brake.
- Patented spring-loaded freewheel mechanism
- Rubber grip for non-slip operation.
- Test certificate verifies that every hoist has been factory load tested to 125% of rated capacity, in accordance with ASME B30.21 requirements.




Catalog/Part #	Description
LB008-5 (.802790)	¾ Ton, 5' Lift
LB008-10 (.731535)	¾ Ton, 10' Lift
LB008-15 (.761836)	¾ Ton, 15' Lift
LB010-10 (.754830)	1 Ton, 10' Lift
LB010-15 (.835277)	1 Ton, 15' Lift
LB015-5 (.761838)	1½Ton, 5' Lift
LB015-10 (.731536)	1½ Ton, 10' Lift
LB015-15 (.766661)	1½ Ton, 15' Lift
LB015-20 (.722696)	1½ Ton, 20' Lift
LB020-5-LWH* (.802795)	2 Ton, 5' Lift
LB020-10 (.784146)	2 Ton, 10' Lift
LB020-15 (.849382)	2 Ton, 15' Lift
LB028-10 (.749632)	2¾ Ton, 10' Lift
LB030-10 (.684020)	3 Ton, 10' Lift
LB030-15 (.583245)	3 Ton, 15' Lift

*with Load Limit Warning Handle



TCE Spark Resistant Air Hoists

TCE-IIB Series air hoists are built with components that will reduce or eliminate risk of spark produced by impact or friction in heavy-duty industrial applications. Our TCE-IIB are Ex certified spark resistant to level II 2G Ex h IIB T4 Gb for gas and II 2D Ex h IIIB 130°C Db for dust and are in compliance with the ATEX Directive 2014 / 34 / EU.



LiftAll®
PRODUCTS FOR BETTER LIFTING

LOAD HUGGER™ TIEDOWNS

Features and Benefits

- Meets all U.S. DOT, FMCSA, and CVSA regulations.
- Low stretch polyester webbing allows for more secure cargo control.
- All hook assemblies equal or exceed webbing strength.
- Webbing is soft and will not damage expensive cargo.
- Lightweight and easy to handle.

Series 10,000 / WLL 3,300 lbs.

61001 (.49324)

2" X 27' FLAT HOOK 10K *LOAD HUGGER*™ POLYESTER TIEDOWN W/RATCHET



26422 (.717526)

2" X 27' U-HOOK 10K *LOAD HUGGER*™ POLYESTER TIEDOWN W/RATCHET



Series 1,000 / WLL 700 lbs.

6A103 (.678512)


1" X 15' COATED OPEN HOOK 1K *LOAD HUGGER*™ POLYESTER TIEDOWN W/ RATCHET



Type B Measurement - FIXED END

2" Wide Assemblies: 16" long

1" Wide Assemblies: 18" long





M18 FUEL™ String Trimmer w/ QUIK-LOK™ Kit

2825-21ST (.971032)

- ***Includes***
  - (1) M18 FUEL™ power head w/ QUIK-LOK™
  - (1) M18 FUEL™ QUIK-LOK™ string trimmer attachment (49-16-2717)
  - (1) M18 REDLITHIUM™ HIGH OUTPUT™ XC8.0 battery (48-59-1880)
  - (1) M18™ & M12™ rapid charger (48-59-1808)

M18 FUEL™ 21" Self-propelled Dual Battery Mower Kit

2823-22HD (.1062383) ***Special Order Only***

- Single point height adjustment delivers 1" - 4" height range with 7 positions at ½" increments
- ***Includes***
  - (1) M18 FUEL™ 21" self-propelled dual battery mower
  - (1) M18 REDLITHIUM™ HIGH OUTPUT HD12.0 battery pack (48-11-1812)
  - (1) M18™ dual bay simultaneous rapid charger (48-59-1802)
  - (1) Grass bag (1) Mulch bag
  - (1) Rear side discharge chute





M18 FUEL™ 14" Chainsaw (Bare Tool)

2727-20C (.1061524)

- POWERSTATE™ brushless motor: purposely built for the M18 FUEL™ 14" chainsaw to provide the power and performance of a gas engine up to 40CC
- Automatic oiler for proper chain lubrication
- Variable speed trigger for full control



M18 FUEL™ Blower Kit

2724-21HD (.930536)

- ***Includes***
  - (1) M18 FUEL™ blower (Tool Only) (2724-20)
  - (1) M18 REDLITHIUM™ HIGH OUTPUT™ XC8.0 battery (48-11-1880)
  - (1) M18™ & M12™ rapid charger (48-59-1808)



M18 FUEL™ HATCHET™ 8" Pruning Saw (Bare Tool)

3004-20 (.1055202)

- Increased access and control
- Fastest cutting pruning saw
- Full house chain minimizes vibration



M18 FUEL™ 16" Chainsaw Kit

2727-21HD (.944070)

- ***Includes***
  - (1) M18 REDLITHIUM™ HIGHT OUTPUT™ HD12.0 battery pack (48-11-1812)
  - (1) M18™ M12™ rapid charger (48-59-1808)
  - (1) 16" oregon bar and chain
  - (1) Scrench



M18 FUEL™ 24" Hedge Trimmer (Bare Tool)

2726-20 (.911201)

- Milwaukee® POWERSTATE™ brushless motor provides more power, more run-time, and longer life
- REDLINK PLUS™ electronic intelligence enables advanced communication between batteries and tools



M18 FUEL™ 2-Tool Combo Kit

3697-22 (.1050036)

- ***Includes***
  - (1) M18™ 1/2" Hammer Drill/Driver (2904-20)
  - (1) M18™ 1/4" Hex Impact Driver (2953-20)
  - (1) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack (48-11-1850)
  - (1) Belt Clip
  - (1) Side Handle
  - (1) Blow Molded Case



M18 FUEL™ 4-Tool Combo Kit

3698-24MT (.1080899)

- ***Includes***
  - (1) M18 fuel ½" hammer drill (2904-20)
  - (1) M18 fuel ¼" impact driver (2953-20)
  - (1) M18 fuel oscillating multi-tool (2836-20)
  - (1) M18 LED flash light (2735-20)
  - (1) M18 high output 6.0 Ah battery (48-11-1865)
  - (1) M18 high output 3.0 Ah battery (48-11-1835)
  - (1) M18 & M12 Multi-Voltage Charger (48-59-1812)

While Supplies Last!



MX FUEL™ Pipe Threading Machine Kit

MXF512-2XC (.1063490)

- Powered by MX FUEL™ REDLITHIUM™ batteries, eliminates the need to work near an outlet
- Combined with a spring-assisted cart for easiest transportation and set up
- Milwaukee® NPT pipe threading die head w/micro-adjust automatically releases for each thread



M18 FUEL™ 9" Cut-Off Saw w/ ONE-KEY™ Kit

2786-22HD (.986864)

- Power to cut reinforced concrete
- Up to 50% lighter
- Blade diameter: 9"



Screwdriver Kit - 6 PC

48-22-2706 (.921099)

- Wrench ready hex shanks lanyard hole magnetic tips
- Visible ID markings allows for quick tool identification on jobsite
- Limited lifetime warranty



7pc Big Hawg Hole Saw Set

49-56-9280 (.1003478)

- 50X Life in nail embedded wood and abrasive material applications
- 5X Faster Cuts
- Carbide tipped multi-material pilot bit for increased material versatility



M18 FUEL™ 8' Concrete Pencil Vibrator (Bare Tool)

2911-20 (.1037282) ***8'***

2910-20 (.1042317) ***4'***

- 3X more powerful than competitive cordless pencil vibrators
- VPM is 12,500 for optimal consolidation
- No cords reduces trip hazards



MX FUEL™ Backpack Concrete Vibrator Kit

MXF371-2XC (.1023208)

- The POWERSTATE™ brushless motor delivers the power to push up to 2-1/2" head at over 11,000 VPM for optimal consolidation
- Provides instant power with no gas headaches
- Push-button start delivers instant power



M18 FUEL™ 1/2" High Torque Impact Wrench & Grease Gun Kit

2767-22GR(.1055221)

- Up to 1,400 ft. lbs. nut-busting torque
- Provides maximum productivity by removing stubborn and high torque fasteners up to 2x faster than the competition
- Industry leading 4-mode drive control with bolt removal mode



M18 FUEL™ Compact Band Saw Kit

2829-22 (.993211)

- Powerstate brushless motor: supplies constant power for faster cuts and reduced heat for extended life
- Built-In LED Light illuminates work surface
- Variable Speed Trigger



SHOCKWAVE Impact Duty™ Driver Bit Set -18PC

48-32-4403 (.812851)

- Designed for use with Impact drivers and drill drivers
- CUSTOM ALLOY76™ steel is engineered to extend bit life
- SHOCK ZONES™ are optimized in both length and width across all tip types for best performance across tip types



SAWZALL® Standard Metal and Wood Blade Set - 10PC

49-22-1110 (.940371)

- Wood cutting blades have a 5 TPI design for fast aggressive cuts
- FANG TIP™ bites into the wood on first contact for plunge cuts
- SAWZALL® blades Tough Neck™ ribs strengthen the blade tang and minimize breakage

While Supplies Last!



Vacuum Tool Storage Bag

49-90-2019 (.1052092)

- Top storage area is optimized for longer vacuum tools and has an enclosed zipper area for smaller pieces
- (4) durable mounting hooks easily latch to the motor heads of select MILWAUKEE® wet/dry vacuums (0910, 0920, 0930, 0931)
- All metal hardware

$69.99 Reg. $129.99





50LB Anchor Strap

48-22-8855 (.1008657)

- Tether more tools, more places
- Abrasion resistant 840D sleeve
- Loop securely wraps around beams and rails

$29.99 Reg. $49.99





Ear Plugs

48-73-3006 (.1008626)

- All day comfort
- Noise reduction rating 32dB
- Expands quickly for easy use

$12.99 Reg. $21.99

100/box

8 PC BIG HAWG™ Carbide Teeth Plumber's Hole Saw Kit

49-56-9285 (.943168)

- 50X life in nail embedded wood and abrasive material applications
- 5X faster cuts
- Cuts 1000+ more nails

$199.00 Reg. $269.99



SDS-Plus 4CT MX4™ 5 PC Kit

48-20-7498 (.944605)

- Solid head carbide delivers up to 5x longer life in concrete with rebar
- Sharp centering tip for exact spot drilling in concrete and metal decking
- Variable flutes remove dust faster reducing heat and delivering up to 20% more holes per battery charge

$34.99 Reg. $52.99








Performance Safety Glasses - Fog-Free Tinted Lenses

48-73-2026 (.1013693)

- Military grade impact protection
- Durable anti-scratch lenses
- CSA Z94.3

$11.99 Reg. $22.99

Ingersoll Rand





QTiMAX 1/2" Air Impact Wrench

2236QTiMAX (.1087476) ***Friction Ring Anvil***
2236QPTiMAX (.1087478) ***Pin Anvil***

- 10 different available drive options including 3/8", 1/2", and 3/4" standard length and five extended lengths from 2 to 10 inches
- 1,500 ft-lbs of breakaway torque
- 2-piece anvil system

Special Order Only





IQV® 20V 4.5/5.0" Angle Grinder Kit

G5351-K22 (.1064369)

- Slim body and comfortable rubber grip provide more tool control and reduce fatigue during extended us
- Brushless motor delivers 1.0 hp output with up to 8,000 rpm
- Includes the G5351 Grinder, 2 BL2022 batteries, 2 guards, side handle, and battery charger



IQV20™ Square Cordless High Torque Impact Wrench Kit

W8171-K2 (.1087474) ***3/4"***
W8191-K2 (.1087475) ***1"***

- A variable speed trigger lets you apply the speed needed for whatever job
- A 4-position power regulator lets you fine-tune your tool's torque
- Avoid over-torquing with timed shutoff in regulator positions 1-3, and remove fasteners with nonstop power in position 4

Special Order Only



20V High-torque 1" Cordless Impact Wrench Kit

W9691-K4E (.1058135)

- 3000 ft-lbs nut-busting torque
- Includes 4 batteries and dual bay charger, 6" extended anvil





IQV20™ 1/4" QC Cordless Compact Impact Driver Kit

W3111-K22 (.1064372)

- 1/4" hex drive with quick release collet for use with impact rated bits
- Fastening torque over 3,400 in-lbs, as powerful as pneumatic
- Includes 1 impact driver, 1 BL2023 battery, 1 BL2012 battery, and 1 battery charger



DEWALT

While Supplies Last!





60V MAX* 17" Brushless Attachment Capable String Trimmer

DCST972B (.1021843) ***Bare Tool***

DCST972X1 (.1021842) ***Kit - Includes (1) 9.0Ah battery, charger, 0.080 line prewound in spool, and auxiliary handle & guard***

- High Adaptability: Dewalt universal attachment capability to accept additional tool pieces
- Quick-Load Spool: for convenient and efficient re-spooling



FLEXVOLT® 60V MAX* Brushless Chainsaw

DCSS670B (.957090) ***Bare Tool***

DCCS670X1 (.907798) ***Kit - Includes (1) 9.0Ah battery and charger***

- Tool-free chain tensioning for quick and easy chain adjustments



60V MAX* FLEXVOLT® Brushless Handheld Axial Blower

DCBL772B (.975875) ***Bare Tool***

DCBL772X1 (.975876) ***Kit - Includes (1) 9.0Ah battery & charger***

- High-efficiency brushless motor helps extend runtime
- Powers through debris at up to 600 CFM of air volume at 125 MPH
- Designed to withstand everyday heavy-duty usage



20V MAX* Compact Jobsite Blower(Bare Tool)

DCE100B (.883895) ***Includes Nozzle attachements***

- Ideal for clearing debris from the ground and overhead
- 3-speed design offers versatility for a range of jobs



60V MAX* FLEXVOLT® 18" Brushless Cordless Chainsaw

DCCS672B (.1061076) ***Bare Tool - Special Order Only***

DCCS672X1 (.1048586) ***Kit - Includes (1) 9.0Ah battery, charger, tensioning tool and bar sheath - Special Order Only***

- Quick chain adjustment with onboard wrench
- Built for safety: limited kick back protection with chain brake
- Long-lasting performance: continuous lubrication with auto-oiling feature for longevity of use



20V MAX* Lithium Ion 22" Hedge Trimmer

DCHT820B (.909484) ***Bare Tool***

DCHT820P1 (.889163) ***Kit - Includes (1) 5.0Ah battery and charger - Special Order Only***

- Powerful high output motor for cuts up to ¾" thick
- 22" laser cut, hooked-tooth blade design
- Compact and lightweight design



20V MAX* 550 psi Cordless Power Cleaner (Bare Tool)

DCPW550B (.1021691)

- Take on a wide variety of cleaning tasks with 550 MAX psi* and 1.0 gpm**
- Convenience and Portability: Cordless cleaning tool delivers 10X the power of a garden hose†
- High Versatility: On-the-go adaptability to draw water from any fresh water source

Maximum psi when used with 15° nozzle* * Gpm when used with 15° nozzle*

† 550 MAX psi with 15° nozzle vs. 55 psi of a garden hose with no attachment

DEWALT

While Supplies Last!



20V MAX* 1-1/8" XR® Brushless Cordless SDS PLUS L-Shape Rotary Hammer Kit



DCH293R2 (.904830)

- 3.5 joules of impact energy for fast drilling in concrete
- Anti-Rotation E-CLUTCH System protects the user in bind up situations by stopping the rotation of the bit
- Lightweight design makes this tool ideal for structural connections, beam & column anchorage, rod hanging, seismic & safety attachments, cable tray & strut mounting, and steel stanchion mounting

20V MAX* XR® Cordless Cable Stripper (Bare Tool)



DCE151B (.916544)


- Depth gauge consistently strips cables up to 4"
- Strip #6 - 750 MCM Cu/900 MCM Al cable
- Quick release bushings allow you to quickly change bushings for each cable size

1-1/8" SDS PLUS D-Handle Hammer Kit



D25263K (.863500)

- 3.0 joules impact energy for fast drilling and chipping speed
- 8.5 amp high performance motor
- Shocks - Active Vibration Control reduces vibration felt by the user at the handles, a perform and protect feature



20V MAX* Cordless Tripod Light



DCL079B (.935229) ***Bare Tool***

DCL079R1 (.935289) ***Kit - Includes (1) DCB206 20V MAX* 6Ah Battery Pack (1) DCB115 20V MAX* Charger***

- Natural white LED provides accurate color visibility, long life span, and stays cool to the touch
- Three brightness settings (up to 3000 lumens)
- Telescoping pole extends light head to 7' to reduce shadows and glare







12V/20V MAX* Jobsite Bluetooth® Speaker (Bare Tool)

DCR010 (.964946)

- Dual speakers for rich stereo sound
- Bluetooth® connectivity - 100' range
- Convenient carry handle with phone holder

DEWALT

While Supplies Last!





60V MAX* In-Line Stud and Joist Drill with E-CLUTCH® System Kit

DCD470X1 (.977412) ***Kit - Includes (1) DCD470 In-Line Stud and Joist Drill (1) DCB609 Battery (1) Contractor Bag (1) DCB118 Fast Charger***

- Anti-rotation E-CLUTCH system detects the motion of the tool. This feature senses the motion of the tool and shuts it down if necessary.
- 2 variable-speed ranges (0-400/ 0-1320 rpm)
- Magnesium gear case to reduce weight

$449.00 ***Reg. $579.00***



Large Hammer Dust Extraction-Chiseling

DWH053K (.888457)

- Compatible with DEWALT D25960 demolition hammer, DEWALT D25980 pavement breaker, plus most 1-1/8" Electric Pavement Breakers
- Fits DEWALT spline drive hammers: D25553K, D25651K, D25851K
- 3 different dust boots allows the user to match the boot length to the chisel to provide maximum dust extraction

$99.00 ***Reg. $129.00***



4-1/2" X 1/4" X 7/8" Stainless Steel Grinding Wheel

DW8414 (.118198)

- High performance aluminum oxide grain for long life and high material removal
- 7/8-inch arbor with A30S specs
- Ideal for specialty grinding for heavy metals (stainless steel, super alloys)

$1.79 ***Reg. $4.99***



3/4X8X10 Rock Carbide™ 4-Cutter SDS Plus Hammer Bit

DW5474 (.761490)

- Open head desgin for faster material removal
- Enlongated 4 flute design for faster drilling

$24.99 ***Reg. $39.99***





TSTAK™ 3pc Modular Mobile Tower

DWST60404 (.961806)

- 3 pc. Tower - mobile storage unit, clear lid organizer, and long handle toolbox

$99.00 ***Reg. $149.99***



4PC 6-in-1 Driver #2PH/#8SL - #2SQ/#1SQ 1/4" Nutsetter, 5/16" Nutsetter

DW2330 (.745425)

- Quickly changes between 6 drivers to increase speed
- Stores all 6 drivers in 1 holder to eliminate the frustration of losing bits
- Includes most common geometries which is ideal for applications where multiple geometries are needed

$3.99 ***Reg. $12.00***

STIHL®

Product is only available at our following locations:
Marietta, Columbus, Cincinnati, Huntington, Pittsburgh



MS 170 Homeowner Chainsaw 16" Bar & Chain

MS170-16 (.785102)

- Anti-vibration system helps reduce operator fatigue and provides a more comfortable working experience
- Designed to automatically adjust the air/fuel ratio when the air filter becomes restricted or partially clogged and maintains the engine's correct RPM
- 8.6 lbs



MS 271 Farm Boss Chainsaw 20" Bar & Chain

MS271-20 (.847394)

- Pre-Separation air filtration system
- Anti-vibration system helps reduce operator fatigue and provides a more comfortable working experience
- 12.3 lbs



Backpack Blower

BR450 (.871753)

- The purge pump primer feature enables the user to prime the carburetor with fuel, enabling easier starting
- Easy access to all of the controls on one comfortable handle makes it easy to complete tasks so the operator's hand never has to leave the handle
- 23.4 lbs



1GL Moto Mix

7010-871-0249 (.845465)

- Provides you with a 50:1 fuel mixture, created with premium 92 octane gasoline and the superior protection of STIHL HP Ultra two-cycle engine oil



MS 251 Wood Boss Chainsaw 18" Bar & Chain

MS251-18 (.854955)

- The Master Control Lever™ is an easy to use single lever, operating the choke, starting throttle lock and on-off switch
- OILOMATIC® Chain .325 RM3
- 11.0 lbs



Lightweight Blower

BG50 (.872120)

- The purge pump primer feature enables the user to prime the carburetor with fuel, enabling easier starting
- 7.9 lbs



Easy2Start™ Trimmer

FS56RCE (.798879)

- Large baffles which reduce noise level and contains a screen designed to reduce the emission of sparks
- Air filter cover can easily be removed for fast and easy filter cleaning or replacement
- Easy access to all of the controls on one comfortable handle makes it easy to complete tasks so hand never has to leave the handle



Polesaw

HT131 (.780868)

- With an adjustable shaft, telescoping pole pruners can cut branches up to 16' above ground
- Zero or low exhaust emissions
- 17.3 lbs.

metabo
PROFESSIONAL POWER TOOL SOLUTIONS

4½" Angle Grinder



W11-125Q #603623420 (.764733)
WP11-125Q #603624420 (.1005387)
with no lock-on paddle switch, quick wheel change

- 8.5 amps, 900 watts, 10,500 rpm
- Maximum torque: 22.1 in. lbs.
- Quick wheel change
- Vibration dampened side handle

$168.00

Buy a 4-1/2" Angle Grinder
Get 100 4-1/2" Original Slicer - A60TX Cutting Wheels FREE
(.108233)



6" M-Brush Technology Grinder

WEPBA 19-150QDS (.855123)

- 1,900 watts of power
- Service-free carbon brushes with 3 times the service life for a whole machine lifetime
- Up to 20% more high overload capacity and 50% more torque



$304.99

Buy a 6" M-BrushTechnology Grinder
Get 20 6" Slicer Plus - A60TX Cutting Wheels FREE
(.772975)





5" Turbo Sandwich Tuckpoin Concrete/Brick Blade

624304000 (.1021520)

- Very well suited for joints in plaster and masonry
- Sintered cutting edge
- Segment height: 10.0 mm. Disc width: 6.0 m. Maximum working speed 80 m/s

$33.00 Reg. $69.00



5" Universal Concrete Diamond Cup Wheel

628205000 (.961615)


- Well-suited for grinding thick layers of concrete, levelling concrete and granite, as well as other types of natural stone, removing slurry layers and formwork seams, hard cement, lime-cement plaster, hard screed
- Maximum working speed 80 m/s

$99.00 Reg. $139.00

TOUGHER THAN THE JOBSITE.®

RAM BOARD™

BUILDER BOARD™



BLD38100 (.769360)

- Heavy duty surface protection
- A green product - 100% recyclable
- Installs fast and flat and is non-staining
- Allows moisture and vapors to escape
- Protects granite, travertine, marble, wood, etc.
- 38 in. x 100 ft. roll




Multi-Cutter®

MULTI-CUTTER-CS (.951017)

- Cuts a number of materials, including Ram Board, rosin paper, plastics, roofing felt, cable ties, cardboard and more
- Dual Edge-Guard System™ protects both corners of the utility razor from touching the floor surface
- The handle can store up to 4 extra blades

Builder Board Tape®



BLD048 (.1001877)

- Quickly and efficiently covers Builder Board temporary floor protection seams
- Breathable seam tape comes in both 2” and 3”
- Strong, flexible and lays flat
- Liquid resistant

36" x 500' - Clear CARPET SHIELD®



CS36500 (.769359)

- Self-adhering film designed to protect carpeting
- Highly resistant to tears and punctures
- Protects all kinds of carpeting for up to 45 days
- Will not leave any adhesive residue

Waterproof Shoe Covers 100/bx



SCP200 (.798452)

- Available in PE Coated Cloth and Plastic options
- Reusable and disposable
- The non-woven fiber shoe covers provide excellent protection for outside jobs
- The polyethylene coated option features a skid resistant bottom and is leak resistant

2"x180' All-Purpose Blue Painter's Tape



BT2180C (.786404)

- A multi-surface tape made with medium adhesion that won’t leave a residue
- uv-resistant when exposed to indirect and direct sunlight
- Made with an extra heavy duty paper, it’s the toughest all purpose painter’s tape on the market

MAX

Rebar Tying Tool up to #9 x #10 with 19ga Wire



RB611T (.996787)

- doubles the tying speed, completing a tie in approximately ½ second, increasing productivity
- Dispenses the precise amount of wire needed to form a tie, reducing wire usage and cutting production cost
- The TwinTier’s “Wire Bending Mechanism” (Patent Pending) produces a shorter tie height which requires less concrete to cover a wire tie

Rebar Tie Wire



TW898 (.909150)

- Black annealed steel tie wire for MAX Rebar tiers
- 21 gauge
- 312 feet per roll
- 50 rolls per case

Twintier Rebar Tie Kit



RB441T (.956251)

- The TwinTier’s Dual Wire Feeding Mechanism doubles the tying speed, completing a tie in approximately ½ second, increasing productivity
- Dispenses the precise amount of wire needed to form a tie, reducing wire usage and cutting production cost
- The jaw capacity enables the tool tie up to a #7 x #7 rebar

Tie Wire Coil 30/bx
(For use with RB441T)



TW1061T (.942994)

- Wire steel is melted, annealed and drawn in the U.S.A
- Steel mill certification available

AmPro FASTENERS





Large Inventory of High Quality Fasteners at Great Prices!

Self-Drilling Screws *Sharp Point Screws*
Clip Thread Screws *Fine Thread Screws*
Coarse Thread Screws

Ingersoll Rand

Digger

93LA1 (.954670)

- 7/8" x 3-1/4" hex shank
- 2,350 BPM
- Lightweight, latch retainer



Pavement Breaker

PB35AL8 (.711182)

- 1X4-1/4" hex shank
- 1250 BPM
- 6-1/4" stroke length



Pavement Breaker

MX60A (.711179)

- 1-1/8 x 6" hex shank
- 5-3/4" stroke length
- 1200-1400 BPM





Chipping Hammer

2A2SA (.135969)

- Round shank oval collar
- 2" stroke
- 2300 BPM



Chipping Hammer


3A2SA (.721354)

- Round shank oval collar
- 3" stroke
- 1725 BPM

RAZORBACK PROFESSIONAL TOOLS

Round Point Shovel

45520 (.786033)
- 48" hardwood handle
- Forward turned step
- Open back



14 Tine Road Rake

63121 (.786032)
- 66" hardwood handl
- Steel ferrule



14" Floor Scraper

2451600 (.774590)
- 14" blade
- 65-inch hardwood handle



Square Point Shovel

44124 (.785541)
- 48" hardwood handle
- Dual Rivet Extended Tab Socket
- Forward turned step
- Open back



Sledge Hammer

3111000 (.883618) ***4LB***
3112000 (.883620) ***6LB***
3113000 (.883621) ***8LB***
3115000 (.883626) ***10LB***
3116000 (.883627) ***12LB***



- Head to handle connection reinforced with steel pin
- 15-inch handle features solid fiberglass core
- Forged steel engineer hammer head
- Perfect for heavy hammering or demolition work

TRUPER

Square Point Shovel

PCL-RBA (.719072)
- Extended step and 48" american ash handle
- Heavy duty 14 gauge steel blade for maximum toughness
- Double riveted, heavy duty, extended socket for solid connection
- Extended tab socket adds strength to head, to handle connection



Round Point Shovel

PRL-RBA (.719071)
- 48" pro grade premium north american white ash handle
- White ash handles give optimum ratio of resistance and flexibility
- Heavy duty 14 gauge steel blade for maximum toughness
- Double riveted, heavy duty, extended socket for solid connection



Tru Pro Heavy Duty Post Hole Digger

CA-38E (.778231)
- 48-inch professional grade premium north american white ash handle
- For Commercial, Industrial use; AG, Dairy, Farm, ranch for a lifetime of use
- Pro quality design is easy on back, hands and arms



D-Handle Drain Spade

PEP-16-RBA (.773760)
- 32-inch pro grade north american white ash handle with d-grip for balance and control
- White ash handles give optimum ratio of resistance and flexibility
- Heavy duty 14 gauge steel blade for maximum toughness
- Heavy duty riveted extended socket for solid handle connection



ENERPAC



W Series Drives

- Superior strength to size ratio provides easy access to difficult to reach applications without sacrificing endurance
- 30° rotation angle and rapid return stroke provide fast operation
- Fast release drive unit enables rapid exchange of cassettes, no tools required

Model #	Max Torque Output (Ft. lbs)	Max. PSI	Hexagon Range (in)
W2000X	2040	10,000	1 1⁄16" x 2 3⁄8"
W4000X	4175	10,000	1 5⁄16" x 3 3⁄8"
W8000X	8470	10,000	1 7⁄8" x 4 1⁄8



HMT series hydraulic torque wrench drive units

- Supplied with an ergonomic tool safety handle as standard
- The HMT Modular Torque/Tool is also supplied with a link pin retainer as standard
- Interchangeable with other manufacturers
- The HMT is part of a modular system which is made up of a single power head and one attachment; the HMT Drive Unit and HLP Hexagon cassette or HSQ Square Drive Cassette
- Accuracy of +/- 3%

Model #	Max Torque Output Ft lbs	Max. PSI	Hexagon Range (in)
HMT1500	1,541	10,000	1 1⁄16 - 2 7⁄16
HMT3500	3,543	10,000	1 3⁄8 - 3 1⁄8
HMT7500	7,562	10,000	2 3⁄16 - 3 15⁄16

W Series Cassettes

- Full range of interchangeable hexagon cassettes provides maximum versatility

Model #	Hexagon Range (in)
W2000X Series	1 1⁄16" x 2 3⁄8"
W4000X Series	1 5⁄16" x 3 3⁄8"
W8000X Series	1 7⁄8" x 4 1⁄8





HLP Series Cassettes

- Interchangeable low profile hexagon cassette for HMT drive unit



Model #	Hexagon Range (in)
HLP1500 Series	1 1⁄16" x 2 7⁄16"
HLP3500 Series	1 3⁄8" x 3 1⁄8"
HLP7500 Series	2 3⁄16" x 3 15⁄16"

Electric Torque Wrench Pumps

- Electric hydraulic pump with 115V motor for powering medium- to large-size hydraulic torque wrench or tool
- Protective molded covering with handle for carrying
- 2 gal. reservoir for hydraulic fluid
- Control pendant for remote operation
- Flow rate of 60 cu. in. per minute at maximum operating pressure of 10,000 psi

Model #	Includes Heat Exchanger (H)	Includes Roll Cage
ZU4208BB-Q	No	No
ZU4208BB-QH	Yes	No
ZU4208BB-QHR	Yes	Yes

XC2202MB, Cordless Hydraulic Pump, 3/2 Manual Valve, 122 in3 Usable Oil, Batteries and Charger Included, 115V, North America

- Cordless convenience eliminates extension cords, noise and emission producing generators
- High-performance brushless motor drives high-flow rates for increased productivity and provides twice the life of brushed motors
- Bladder reservoir reduces contamination and allows pump use in any position



ENERPAC

Ask your salesperson about our
Enerpac Repair and Certification Facility!

American Producers is a Simplex Mechanical Jack Distributor!



SP35S, 35 Ton, Hydraulic Punch and Standard Die Set

- 0.50" thick mild steel maximum capacity
- Long life Enerpac single-acting, spring return design
- Available to order separately are square and oblong die shapes, plus electric, air and hand pumps
- Durable steel case keeps hydraulic punch tools and dies together for easy carrying and storage

GOAL ZERO
ENERPAC

Goal Zero and Trainings

Enerpac is committed to achieving Goal of Zero harm to employees, customers, and end users of our products. Training services are offered to users of Enerpac products to help achieve Goal Zero.

- **Training for Tool Owners**
- **Safety Training**
- **ON-Site Training**
- **Tool Crib Audits**
- **Customized Training**

Please contact your local sales representative to schedule Enerpac trainings.

LGM203, 3 Ton, 2 Jaw, Mechanical Lock-Grip Puller



- LGM-Series Pullers are an ideal solution for pulling small to medium-size wheels, sprockets, bearings and other similar shaft mounted parts
- Quickly and easily mount on a wide range of applications
- Lock-on jaws offer a secure grip for safe and easy operation
- Synchronous jaw movement enables entire pulling job to be performed by a single operator



P80, Two Speed, ULTIMA Steel Hydraulic Hand Pump, 134 in3 Usable Oil

- Reduced handle effort and ergonomic grip for less operator fatigue
- Vent free reservoir eliminates spills
- Quick grip handle allows for easy transport
- Integral reservoir over-pressurization protection

Cordless Bar Cutter



- Rotatable head can be positioned for optimal access to application
- Quickly cut through up to #6 rebar in 5 seconds
- Up to 125 cuts on a single charge
- Highly durable blades make up to thousands of cuts
- No shooting sparks or exploding abrasive blades
- No exposure to high RPM cutting wheels

Model #	Tons Capacity	Charger Voltage
EBC20B	21.2	120
EBC20E	21.2	230
EBC20	21.2	Bare Tool



Ask About a Demo

DAYTON® SUPERIOR®



Tilt-Up

T28 Superior Plate Dowel System

- Used when a slab-to-slab transition occurs & stability of the concrete joint is required
- Fast installation and conforms to ACI 302 & ACI 360
- Available on 1/4", 3/8" and 3/4" sizes

Bridge Deck

G2 Screed Chair Base

- Used to support screed pipes or bars
- Available in 1/2" and 3/4" nominal diameters





And More

We Also Offer

- Precast anchors & inserts
- Wall forming solutions
- Rebar connections
- Bridge deck products



Clean Strip™ J1A

- Chemically reactive concrete form release
- Increases the life of wood and steel forms
- VOC compliant



Chemicals

ProAnchor Elite

- Code-compliant anchoring adhesive approved for bulk dispensing systems
- Qualified for Seismic Design Categories A through F



NEW! Superior Wall Finish

A single-component, cement-based mortar that rubs and smooths concrete surfaces





White Wax Cure J9A

- Water-based curing compound
- Meets ASTM and AASHTO standards and approved by various state highway departments



PROSCAPE™ Stainless Steel D-Grip Shovels



32458 (.1079996) ***Round point***

32459 (.1079998) ***Square point***

- Choose round point or square point blades
- Long steel collar for added strength
- Strong fiberglass handle shaft

Call for Pricing & Availability

Shockwave™ 2.0 Power Screed



32856 (.1069845)

- Unique frame design provides superior engine protection and makes for easy transportation
- Excellent vibration dampening
- Onboard tachometer/hour meter great for scheduled maintenance
- Industry standard 9" blade attachment hole spacing

Call for pricing and availability

19½" x 4" All Aluminum Placer without Hook-Welded Handle



14753 (. 771364)

- Aluminum construction, powder coated
- Braced for additional strength
- 60" long
- Soft grip end-cap

Kneeler Board



KB451 (.888537)

- Black foam pad fastened to a polypropylene tray
- Comes with extra-large handle grips
- The padded area is 19 x 13½-inch

PROSCAPE™ Stainless Steel Strait Handle Shovel



32460 (.1079999) ***Round point***

32461 (.1080000) ***Square point***

- Long steel collar for added strength
- Strong fiberglass handle shaft
- Blades are great for digging and feature a solid step on top of the blade for comfortable foot placement

Call for Pricing & Availability



Texas Style Concrete Rake

TP159 (.785542)

- Weighted handle makes this the best concrete placer for pervious concrete.
- Durable 12-gauge, powder-coated steel blade material
- Blade measures 20" x 5"
- Comes with your choice of a 48" or 60” hardwood handle

STIHL®

Product is only available at our following locations:
Marietta, Columbus, Cincinnati, Huntington, Pittsburgh

14" Cutquik Saw FREE with purchase of 12 Diamond Deluxe Cut Blades



DIAMOND PRODUCTS

14" Delux-Cut High Speed Blades

70499LOGO (.855942)

For use on high speed, masonry and low HP walk behind saws.

$159.00 each





Core Bore Hand-Held Motor

CB215 (.1080565)

- Light-weight for easy coring - 13lbs.
- 3-speed gear box with slip clutch and locking gear lever
- Vacuum hose connection and water connection

Heavy Duty MAXX High Speed General Purpose Diamond Saw Blade

- Very high quality diamond and longer cutting life
- Diamond depth of .295" (7mm)
- Segment height of .395" (10mm)
- Heat isolation slots in segment for better cooling and faster cut

Catalog/Part #	Size
53734 (.131811)	12" x .125 x UNV
53742 (.87377)	14" x .125 x UNV
90185 (.766008)	16" x .125 x UNV





Wet & Dry Core Bits

Call for sizes and pricing

Imperial Purple High Speed Diamond Blades

- Better quality diamond and very good cutting life
- Diamond depth of .394" (10mm)
- Segment height of .494" (13mm)

Catalog/Part #	Size
85149 (.961417)	12" x .110 x UNV
78976 (.815348)	14" x .125 x UNV
96480 (.913669)	16" x .125 x UNV
34504 (.961416)	18" x .125 x 1"



M-1 Combo Core Drill Rig w/ CB733 Motor

4245113 (.972218)

- Combination Base: Mechanically anchor OR vacuum down with same base
- Slide handle allows for drilling in tight areas
- Amps: 20A / 115V



RADIANS

1600 Series Neese Economy Rainsuit



10160-55-1-YEL-M (.1040197) ***Size Medium***
10160-55-1-YEL-L (.1040196) ***Size Large***
10160-55-1-YEL-XL (.1040198) ***Size XL***
10160-55-1-YEL-2X (.1040195) ***Size 2X***
10160-55-1-YEL-3X (.1040199) ***Size 3X***
10160-55-1-YEL-4X (.1040201) ***Size 4X***
10160-55-1-YEL-5X (.1040202 ***Size 5X***

- PVC (.35mm) on polyester
- Stand-up collar with snaps and detachable hood
- Raglan shoulder design
- Underarm vents and vented back

Detour Disposable Foam Earplug Uncorded 200/bx



FP30 (.1055003)

- Offers a comfortable fit for virtually any ear canal
- Extremely Soft Foam Plug
- Meets ANSI S3.19-1974 standards

Deterrent Disposable Foam Earplug Uncorded 200/bx



FP34 (.1055004)

- Comfortable Wing Shape
- Extremely Soft Foam Plug
- Meets ANSI S3.19 standards

Resister II Reusable Earplug Flanged Corded 100/bx



FP43 (.1055006)

- Four flanges for a safe, accurate and comfortable seal
- Reusable soft thermoplastic rubber (TPR) provides superior comfort and protection
- Latex free

Rad-Sequel Safety Glasses



RS1-10 (.802138) ***Clear***
RS1-20 (.889259) ***Smoke***
RS1-90 (.914099) ***Indoor/Outdoor***

- Rubber tipped temples provide a secure fit
- Polycarbonate lens provides impact resistance
- Protective lens provide 99.9% UVA/UVB protection

Mirage Lens Safety Glasses



MR0110ID (.723338) ***Clear***
MR0120ID (.723792) ***Smoke***

- Sleek, lightweight design offers a comfortable fit
- Optically correct and distortion free lenses
- Protective polycarbonate lens provides impact resistance

SV3B Green Economy Safety Vest



SV3B-2ZGM-M (.1021902) ***Size Medium***
SV3B-2ZGM-L (.1000470) ***Size Large***
SV3B-2ZGM-XL (.1021896) ***Size XL***
SV3B-2ZGM-2XL (.1021897) ***Size 2XL***

- Zipper Closure
- 2" Silver tape reflective material
- 1 Horizontal stripe/3 pockets
- 100% polyester mesh

SV3B Orange Economy Safety Vest



SV3B-2ZOM-M (.1021901) ***Size Medium***
SV3B-2ZOM-L (.1021898) ***Size Large***
SV3B-2ZOM-XL (.1021899) ***Size XL***
SV3B-2ZOM-2XL (.1021900) ***Size 2XL***

- Zipper Closure
- 2" Silver tape reflective material
- 1 Horizontal stripe/3 pockets
- 100% Polyester mesh

Axis Cut Level A4 PU Coated Glove



RWG560S (.995901) ***Size Small***
RWG560M (.986922) ***Size Medium***
RWG560L (.986817) ***Size Large***
RWG560XL (.986868) ***Size XL***

- 13 gauge HPPE gray outer shell with fiberglass
- Black polyurethane coated palm
- Tested to EN 388 standards

KAMORI® A5 Cut Level Goatskin Glove



RWG52M (.1001210) ***Size Medium***
RWG52L (.1001211) ***Size Large***
RWG52XL (.1001212) ***Size XL***

- Slip-on cuff design and keystone thumb provide a comfortable fit
- ANSI cut level A5, EN388 cut level 5, ANSI abrasion 5, ANSI puncture 4

Lens Wipe Anti-Fog/Anti-Static



LCD100 (.995883)

- Available in 3.5oz., 8oz. and 16oz. cleaning stations or easy to use disposable lens cleaning towelettes
- Lens cleaning towelettes and stations prevent fogging and reduce static



N95 Particulate Respirator

8210 (.55253)

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Lightweight construction promotes greater worker acceptance and may help increase wear time
- Two-strap design with welded dual point attachment helps provide a secure seal





N95 Particulate Respirator w/Cool Flow™ Valve

8210V (.803435)

- Features the 3M™ Cool Flow™ Valve
- Advanced electrostatic media is designed for ease of breathing
- Cushioning nose foam



SecureFit™ X5000 Series Non-Vented Safety Helmet White

X5001 (.986481)

- Suspension system incorporates exclusive patented 3M™ Pressure Diffusion Technology
- Climbing helmet-inspired design
- Works with a variety of 3M™ Faceshields, Earmuffs, and other accessories




SecureFit™ X5000 Series Vented Safety Helmet White

X5001V (.1039136)

- Suspension system incorporates exclusive patented 3M™ Pressure Diffusion Technology
- Climbing helmet-inspired design
- Works with a variety of 3M™ Faceshields, Earmuffs, and other accessories







SF020AF

3M™ SecureFit™ Protective Eyewear

- Stylish, lightweight design—weighs less than 1 oz
- 3M Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes
- Polycarbonate lenses absorb 99.9% UVA and UVB up to 380 nm and meet the requirements of CSA Z94.3 and ANSI Z87.1-2010

Product #	Part #	Description
SF201AF	.816729	Clear Anti-Fog Lens
SF202AF	.816786	Gray Anti-Fog Lens
SF203AF	.825719	Amber Anti-Fog Lens



Centurion™ Anti-Fog Safety Splash Goggle

454AF (.1048500)

- Tapered shape and smooth soft texture for fit and comfort
- Available with and without cords
- Available in two sizes-regular and large



E-A-Rsoft™ Yellow Neons Earplugs Uncorded

312-1250 (.131858)

- Tapered shape and smooth soft texture for fit and comfort
- Available with and without cords
- Available in two sizes-regular and large

MCR SAFETY

Crews Checklite® Safety Glasses



CL110 (.725196) ***Clear***
CL112 (.725197) ***Grey***
CL119 (.725199) ***Clear Indoor/Outdoor***
CL110AF (.770773) ***Clear Anti-Fog***

- Exclusive Duramass® scratch resistant coating
- Good for everyday use or a new visitor spec
- Lightweight glasses (22.9 grams) are good for long term wear
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays

6mil Nitrile Disposable Black Glove



6016BM (.992300)
6016BL (.976023)
6016BXL (.931187)

- 9.5 inches in length
- Ambidextrous
- Component materials comply with all relevant federal regulations for food contact
- Tested in accordance with ASTM D6978 and approved for exposure with Fentanyl Drugs

Bear Kat Safety Glasses



BK110 (.730467) ***Clear***
BK112 (.725400) ***Grey***
BK119 (.725484) ***Clear Indoor/Outdoor***
BK110AF (.706264) ***Clear Anti-Fog***

- Exclusive Duramass® scratch resistant coating
- Lightweight frames (25 grams) are comfortable and easy to wear
- Non-slip soft temple material
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays

4mil Nitrile Disposable Blue Glove



6015M (.703421) ***Size Medium***
6015L (.703420) ***Size Large***
6015XL (.702155) ***Size XL***

- Rolled Cuff
- Textured Grip
- Component materials comply with all federal regulations for food contact
- Formerly known as Memphis Glove™

Crews Lens Cleaning Towelettes



LCT (.109198)

- Lens cleaning station
- 10 boxes per case, 100 wipes per box
- 100 towelettes per box wrapped in individual packets

FIRST AID ONLY™

First Aid Kit



90754 (.896976) ***10 Person***
6086 (.12246) ***25 Person***
6450 (.11145) ***50 Person***

- Rugged steel case contractor's first aid kit
- OSHA compliant box has easy carry handle or is wall mountable
- Contains all required items from ANSI Standard Z308. 1-2009



10 Person Vehicle First Aid Kit

6400 (.743134)

- Rugged weatherproof steel case keeps contents free of dust and moisture
- Sold as a kit with 76 items
- OSHA compliant box has easy carry handle or is wall mountable

Blood Borne Pathogen (BBP) Unitized Spill Clean Up Kit



3060 (.740807)

- 27 Pieces in the kit
- Size: 8" x 5" x 3"
- Latex free gloves

Snake Bite First Aid Kit, 10 Pieces



7103 (.801705)

- Complete snake bite kit for emergency use
- Convenient unitized box fits into any first aid kit
- Perfect for standalone first aid or as a refill for a kit



Halo SL White

S100010-101 (.998237)

- Lightweight, cordless and powerful flood task lighting system that connects securely to any hard hat
- Providing a 360° ring of light around the wearer, the Halo provides visibility up to a ¼ mile away in all directions
- Includes a 50-foot spotlight and is water-resistant for submersion of up to 1 meter for a length of 30 minutes
- Includes a Spot Light and Task Lights that can provide 20 different lighting combinations
- Battery and charger included


S100010-101

Halo SL with Amber Brake Light

S100011-101 (.998240)


S100011-101

Halo SL with Red Brake Light

S100012-101 (.998241)


S100012-101

8-Bay Battery Charger

KLGC-01B-01 (.998243)

- Battery recharge time: Up to 7 hours
- Compatible with:
  Li-ion:26650 22650 18650 18490 17670 17500 16340 14500 10440
- Ni-MH, Ni-Cd:AA AAA AAAA C





2-Battery Charger

HABC-01A-US (.998242)

- A universal charger for charging up to 2 rechargeable 18650 Lithium-Ion batteries
- Supports 100-240V
- Swappable plug supports various countries
- Batteries sold separately



2 Pack Lithium Ion Battery

HARB-01A-X2 (.998244)

- Battery Life: 5.5 hrs min at 20°C
- Battery recharge time:
  up to 5.5 hours
  with Halo charge
- Safety standard: IEC/UL 62133
- Certified by TUV

HALO™ IS

Intrinsically Safe Personal Lighting System

ILLUMAGEAR

HALO™ SL

S100020-101 (.1073363)



HALO IS Specifications:

Model: ..... Halo IS
(includes Halo IS, rechargeable battery & charger)

Dimensions: ..... 262 x 332 x 28.5 mm

Max Light: ..... 360° mode: 276 lumens

Spot Light: ..... 406 lumens

Task Light: ..... 262 lumens

Halo IS Weight: ..... 11 ounces

Battery Weight: ..... 2.5 ounces

Battery Type: ..... Single Lithium Ion cell; 3.5Ah

Battery Life: ..... 3.5 - 52 hours

Water Resistance: ..... Submersion up to 1 meter for 30 minutes

Dielectric Strength: ..... 30,000V (min)

IP67 - Dust-proof & Water Resistant

HALO IS Features:

- **Class I Div 1**
- **Intrinsically Safe**
- **Lightweight and cord-free**
- **360° visibility for a quarter-mile**
- **50-foot spotlight**
- **Powerful flood task lighting**
- **Compatible with any standard hard hat**
- **Battery life indicator**
- **Charger included**
- **On Halo Charger Port**
- **Removeable & Rechargeable Battery**
- **Matte Black**
- **Water resistant**

SKUs:
Halo IS - S100020-101











Wire Cage

5400 (.1007456)

- Door frames made of square tubing; much sturdier than the competition
- Lockable doors for added security
- Removable steel shelves that will also slide out for easy access to product



Chain Vise Stand

186 (.1030135)

- Pack of 1 Unit
- Heavy duty jaws provide strong grip and long life
- collapsible tool tray provides stability when open and folds up for ease of transport



Pipe Wagon

458 (.880057)

- Transports up to 20' lengths of pipe
- 1000 lb. capacity
- Large pneumatic tires move load with ease



V-Head Pipe Stand

436 (.1046477)

- ½" - 12" diameter pipe capacity
- 2500 lb. working load capacity per stand
- Quick height adjustment tube



Tri-Clamp Pipe Alignment Tool

302 (.1071701)

- 2" to 6" diameter
- Durable steel frame is ideal for job site use as well as shop use
- Strong and lightweight for increased productivity and long tool life



Pipe Rack

5050 (.1046478)

- Holds 1,000 lbs. total
- Dimensions: 58 ½" L x 34" W x 61" H



RIDGID



V-Head Pipe Stands

- Locking ring allows for quick height adjustments
- 12" pipe capacity
- 2,500 lb. weight capacity



Catalog/Part#	Description	Height Range
56662 (.117310)	High Pipe Stand	20-38"
56657 (.256110)	Low Pipe Stand	28-52"



16 Gallon NXT Vac

62723 (.1010412)

- 2 ½ inch hose and locking accessories for large messes
- Integrated blowing port and built-in drain for added versatility
- Features the RIDGID lifetime warranty



RP350 Press Tool Kit

67053 (.1010841)

- Brushless motor capable of over 100,000 press cycles
- No scheduled maintenance
- Endless 360° head swivel for reaching tight spaces



Heavy Duty Pipe Wrench

- Straight Pipe Wrenches have a sturdy, ductile-iron housing and an I-beam handle
- full floating forged hook jaw
- self-cleaning threads with replaceable hook and heel jaw

Product/Cat. #	Size	Price
31005 (.10698)	8"	
31010 (.12063)	10"	
31015 (.13527)	12"	
31020 (.14858)	14"	
31025 (.16193)	18"	
31030 (.17480)	24"	





460-12 Portable tristand Chain Vise

36278 (.834903)

- Integral folding legs for easy transport and setup
- Tool hangers and a base which overhangs the front legs for clear tool swing
- Designed for pipe threading and fabrication



FALLTECH®



American Producers is a FallTech Authorized Repair Center for Self-Retracing Devices (SRDs)

American Producers can inspect, repair and certify all FALLTECH cable SRDs



Tradesman® Pro 1D Standard Non-belted Full Body Harness, Tongue Buckle Leg Adjustments


7008CSM (.1076025) ***Size Sm/Med***
7008CLX (.1076026) ***Size Large/XL***
7008C2X3X (.1076027) ***Size 2XL/3XL***

- Features all-black plated alloy steel hardware for refined, low profile look
- V-slot locking D-ring plate minimizes slippage for maximum comfort and minimal adjustment throughout the day
- Dorsal attachment tunnel allows for fast, hassle-free connection of single or twin SRL-Ps and keeps them optimally positioned on the back reducing fatigue
- Includes suspension trauma relief straps
- Complies with ANSI Z359.11-2021

Journeyman Flex Steel Contruction Full Body Harness

7035M (.973953) ***Size Medium***
7035L (.1002190) ***Size Large***
7035XL (.1050153) ***Size XL***

- Features integral padded shoulder yoke hip-to-seat leg and 6" waist support positioning pads to provide advanced breathable user comfort
- Proprietary dorsal attachment sleeve supports effortless addition of personal SRLL
- Plated alloy steel low-profile spring tension roller torso adjusters



FT-R Class 2 Leading Edge SRL Galvanized Steel Cable

721520LE (.1058460) ***20'***
721530LE (.1036843) ***30'***
721560LE (.1058461) ***60'***

- 7/32" galvanized steel cable lifeline with swivel snap hook
- Improved internal mechanism design minimizes unintentional lockups to keep workers moving freely and productively





Roofing Kit with Tongue/Buckle Harness

8595A (.914726)

- Contains 7016 UniFit full body harness, 8150 50' vertical lifeline, 8368 3' shock absorbing lanyard with trailing rope grab, and 7410 roof anchor

3M | DBI SALA Fall Protection

ExoFit X300 Comfort Tower Climbing/Positioning/ Suspension Harness



1113191 (.841274) ***Size Medium***

1113192 (.810817) ***Size Large***

1113193 (.943574) ***Size XL***

1113194 (.943628) ***Size 2XL***

- Revolving Torso Adapters adjust harness fit with ease and speed and lock webbing into place to maintain a comfortable and safe harness fit
- Equipped with anti-sliding dorsal D-ring pad
- Integrated easy-link SRL adapter lets you quickly and easily connect and disconnect personal SRLs

Delta™ Universal Vest-Style Harness



1102000 (.113015)

- Automatic stand-up back D-ring enables efficient dorsal connections
- Revolving torso adjuster buckles available on select models
- Available in multiple styles, configurations, and leg and chest connection options

3M | PROTECTA Fall Protection

Vest-Style Harness Black 420lb



1161542 (.934761) ***Size Medium/Large***

1161543 (.934868) ***Size XL***

1161544 (.935032) ***Size 2XL***

- Parachute torso adjusters
- Polyester web
- Available in a variety of configurations



Leading Edge Self-Retracting Lifeline



3590046 (.921459) ***20'***

3590543 (.925092) ***33'***

3590048 (.925093) ***50'***

- Swiveling anchorage connector loop and carabiner
- Aluminum or thermoplastic housing design
- Quick activating speed-sensing locking system

Compliance in a Can™ Roofer's Fall Protection Kit - In a Bag



2199814 (.882300)

This roofing kit contains:

- FIRST™ harness (AB17550, Universal size)
- 50 ft. Vertical Lifeline with snap hook (1204001)
- Rope Adjuster with built-in 2 ft. PRO™ shock absorbing lanyard (1340005)
- Reusable Roof Anchor (2104000)

Twin-Leg Self-Retracting Lifeline with Carabiner



3100512 (.873285)

- Swiveling anchorage connector loop and carabiner
- Aluminum or thermoplastic housing design
- Quick activating speed-sensing locking system

WERNER

LiteFit Standard Harness



H312001 (.887572) ***Size Small***

H312002 (.884775) ***Size M/L***

H312004 (.887573) ***Size XL***

H312005 (.887574) ***Size 2XL***

- Built in Relief Handles provide immediate relief after a fall arrest allowing you to reach a gravity override seated position
- Multiple impact indicators make inspection easier
- Sliding back D-ring for adjustability absorbing lanyard
- Slotted pass through buckles on the chest strap fastens without twisting

Special Order Only

PROFORM™ F3 Climbing/Construction Harness




H063101 (.1058498) ***Size Small***

H063102 (.1058500) ***Size Medium/Large***

H063104 (.1058501) ***Size XL***

H063105 (.1058502) ***Size 2XL***

- Built in Relief Cords provide immediate relief after a fall allowing you to reach a gravity override seated position
- Lightweight, athletic design and materials deliver maximum comfort without compromising safety
- Dual-Back pad system provides cooling airflow and breathability and can be repositioned after a fall to reduce pressure on the clavicle



Max Patrol Leading Edge SRL



R410020LE (.948379) ***20'***

R410030LE (.956221) ***30'***

R410065LE (.956223) ***65'***

- Max Patrol leading edge is approved for use over steel beam, precast concrete and b-deck
- Minimizes Fall Arrest Distance to less than 24 inches when used overhead
- Impact Resistant Polymer Housing with swivel top
- Meets ANSI z359.14, Class A and OSHA Standards



3/4" Reusable Concrete Anchor

A510000 (.890319)

- Lightweight design easy to insert and remove
- Drill hole of 3/4 in with 3 in minimum depth
- Minimum 3000 psi concrete



Roofing Bucket Kit

K112201 (.831043)

- Contains all of the necessary products for safety and fall protection code compliance
- Easy to install and use on a range of roof pitches
- Includes BaseWear harness with tongue buckle leg straps, reusable roof anchor, 50ft Poly-dac rope, and a manual rope grab with an integrated 3ft shock absorbing lanyard



14" I-Beam Sliding Anchor

A550000 (.834060)

- Lightweight aluminum design moves smoothly across beam
- Fits beam flanges from 3-1/2 in to 14 in
- Fits beams up to 1-1/4 in thick

Type 1A Aluminum Extension Ladder
300 lbs. Load Capacity



Type IA 300 lbs. Load Capacity

Catalog/Part #	Size
D1524-2 (.55087)	24'
D1528-2 (.50535)	28'
D1532-2 (.55279)	32'
D1540-2 (.50699)	40'

Extension Ladder WalkThru™





X300000 (.1030330)

- Dual Clamping system that locks onto ladder rails
- Designed for use with the Werner Type II through Type 1AA extension ladders
- Aluminum construction for a lightweight design
- Wide base provides additional contact area on the work surface helping make a safer transition

Fiberglass Single and Extension Ladders
300 lbs. Load Capacity Type IA Duty Rating



Catalog/Part #	Size
D6216-2 (.55084)	16'
D6220-2 (.50530)	20'
D6224-2 (.55172)	24'
D6228-2 (.50612)	28'
D6232-2 (.50698)	32'
D6240-2 (.50794)	40'



Type 1A Fiberglass Step Ladders
300 lbs. Load Capacity

Type IA 300 lbs. Load Capacity

Lock-In Accessory System





Catalog/Part #	Size
6204 (.49656)	4'
6206 (.54988)	6'
6208 (.50438)	8'
6210 (.49569)	10'
6212 (.48679)	12'

Type 1AA Fiberglass Step Ladders
375 lbs. Load Capacity

Type IAA 375 lbs. Load Capacity

Lock-In Accessory System





Catalog/Part #	Size
6304 (.791364)	4'
6306 (.791365)	6'
6308 (.791366)	8'
6310 (.791367)	10'
6312 (.791368)	12'

Current Tools
FOR THE PROFESSIONAL ELECTRICIAN



Offset Bender

754 (.983609)

- Quickly make consistent offset bends in one setup
- Bends ½" - ¾" - 1" EMT Rigid/IMC/PVC Coated Conduit
- Bends offsets and saddles

10,000 lbs Two Speed Rotoboom™ Cable Puller with Carriage

100 (.965979)

- One person set up
- Four-wheel carriage for stability and ease of transport
- Patented 45° horizontal pivot (Rotaboom™) allows for use of puller in tight spaces



Hydraulic Bending Package

254P-252 (.1030573)

- Bend 2½" to 4" RIgid, EMT and IMC conduit
- Includes the 292 Electric hydraulic pump
- Includes the 252 Mobile bending station





1/2"-2" PVC Heater

450 (.832586)

- Full length door allows easy loading and removal of PVC conduit
- Manual operation
- 115 vac-1700 watts – 15 amps

Rigid Electric Bender

77SR (.941358)

- Bends ½" to 2" Rigid conduit and includes the 700SR Rigid Shoe Group (single shoe, roller support, and metal storage box)
- Only one shoe and roller support needed to bend ½" - 2" for each type of conduit
- Rugged and dependable electrical system



Conduit Rack

505 (.834356)

- Dimensions – 58 ½" length x 34" width x 61" height
- Capacity – 1,000 lbs.
- For organizing conduit or pipe



GREENLEE
A Textron Company



1-11/32" (34.1 mm) Diameter Stud Punch

710 (.764711)

- Knockout punches up through 20 gauge steel studs in one stroke
- Aluminum head provides strengthwith minimum weight
- Contoured handle design gives better operator leverage and makes it possible to punch in tight places

100' REEL-X Non-Conductive Fish Tape

FTXF-100 (.1020027)

- Free-spinning interior reel for faster fishing
- Utilize secondary exit and set case on the ground to free-up both hands for fishing
- Anti-Bind Design





7-piece Drill/Tap Bit Kit for Stainless Steel (Standard)

DTAPSSKIT (.1020048)

- Split-point tip resists walking and penetrates material faster
- Power tool accessory made from strong, high-speed steel that provides superior resistance to heat and abrasion
- Titanium Nitride coating

Aluminum Hand Bender

840AH (.791095) ***1/2"***
841AH (.791096) ***3/4"***
842AH (.628931) ***1"***

- Superior, patented Site-Rite sighting system featuring cast-in, readable markings on the hand bender's head and a finish that provides for the best visibility in low-light
- Strong, stable square hook design 1½" bender heads both offer the power pedal feature with a larger foot area



KLEIN TOOLS®

64pc Precision Ratchet & Driver System



32787 (.1087593)

- Precision Driver Set with 33 precision bits, 16 standard bits, 11 nut drivers, bit adapter, adjustable screwdriver, and micro-ratchet inside our MODbox™ System Case for multi-faceted applications
- Low-profile micro-ratchet design to provide maximum access and extra torque
- Magnetic, adjustable ¼" and 3.5 mm bit holders for standard and precision bits



Special Order Only

Steel Fish Tape



56331 (.1029547) ***1/8x50'***
56333 (.1029548) ***1/8x120'***
56335 (.1030825) ***1/4x25'***

- Firm yet flexible for large wire pulls
- Optimized design of the tape housing decreases payout effort; slip-resistant geometry improves winding power
- Multi-position handle gives you a firm, steady grip as you pull tape from the case

Rechargeable Waterproof LED Pocket Light with Lanyard



56411 (.1084364)

- Features a durable 10'drop rating
- Compact light has four modes: High at 275 lumens, Medium at 100 lumens, and all-day Eco setting and Strobe
- Removable lanyard to keep the light close by

Foam Wire Pulling Lubricant



51100 (.859298)

- No mess formula stays where it is applied and wipes clean from hands and fabric
- 4X greater yield than gel or wax lubricants
- Coats better and is 30-percent more slippery than gel or wax lubricants

BURNDY

PATRIOT® 15 Ton C-Head 18V Battery Crimping Tool Kit



PAT46LWSLI (.931132)

- 2" jaw opening
- Used with P dies
- U dies with PUADP1 adapter (sold separately)

PATRIOT® 11 Ton Dieless Latch Head 18V Battery Crimping Tool Kit



PAT644LI (.911902)

- Dieless System with range taking capability
- #4 AWG -1000 kcmil Copper and Aluminum, #4 AWG - 556.5 kcmil ACSR, AAC, AAAC, ACAR
- 355° Rotatable latch head

PATRIOT® 12 Ton C-Head 18V Battery Crimping Tool Kit



PAT750LI (.781808)

- 1.65" jaw opening
- 355° head rotation
- Uses U dies

CRESCENT JOBOX



60" Slope-Lid Jobsite Box

1-680990 (.725114)

- Site-Vault™ security system with bolt-cutter proof housing
- Full-length steel lock console with three locking points
- Fully welded padlock housing
- Lid support rod props up lid for a flat working surface
- Grip-Rite™ lifting channel for easier opening
- Full-length A-frame lid bolster





48" Tradesman Chest 48x24

CJB637990 (.994203)

- High-security design features enclosed dual lock system that resists saws, pry bars, and bolt cutters
- Grip-Rite™ lifting channel provides better grip on lid for easier and safer lid operation
- Rain-Drain feature in padlock housing prevents water from collecting in box
- Ergonomic lifting handles are positioned inside deep recesses to prevent pinched knuckles and damage to handles





Site-Vault™ Heavy-Duty Chest

- Site-Vault™ security system is a patented system with 3 locking points and a reflective orange lock indicator that shows when the box is locked or unlocked
- Heavy-duty beveled edge lid eliminates sharp front lid corners and enhances lid strength
- Dual built-in lid storage with integrated cargo nets is perfect for rain gear, PPE or small tools
- EZ-Lock support arm secures and locks lid in open position for safe use

Model/Part #	Size
2-652990 (.1001958)	36x20
2-653990 (.1000725)	42x20
2-654990 (.993330)	48x24
2-656990 (.993332)	48x30
2-655990 (.1000722)	60x24





Original Field Office

1-674990 (.768771)

- 63" x 42" x 80"
- Lockable, large desktop can be propped into a flat working surface
- Steel pegboard
- 30 cu. ft. storage locker
- Rain gutters
- Door safety pin latch







Field Station 2.0

119-02 (.986865)

- Full, oversized, gutter system w/ automotive grade weather stripping to keep the content dry from elements
- Patented Watchman IV lock system with recessed lock housing for protection against theft
- Newly designed, spring loaded solid lock rod mechanism for enhanced durability and easy access to upper compartment
- Easy to reach, detachable handle for closing upper door
- Equipped with dual gas springs, with built in safety lock on left side, for smooth, safe operation of the upper door



STORAGEMASTER® Piano Box

- Heavy duty 16 gauge steel construction
- Heavy-duty hinges (staked & welded)
- Baked-on powder coat finish
- Weather resistant
- Protected gas springs to prevent damage
- Caster-ready

Catalog/Part #	Dimensions (WxLxH)	Usable Capacity
69 (.55136)	60" x 30" x 37"	35.3 cu ft
89 (.55334)	60" x 30" x 49"	47.8 cu ft
90 (.116061)	72" x 30" x 49"	57.5 cu ft



JOBMASTER® Chest

- Heavy duty 16-gauge steel construction
- Recessed handles
- Baked on powder coat finish
- Weather resistant
- Caster-ready

Catalog/Part #	Dimensions (LxDxH)	Usable Capacity
32 (.54528)	32" x 19" x 18½"	5 cu ft
36 (.54635)	36" x 19" x 21½"	7 cu ft
4824 (.54835)	48" x 24" x 28¼"	16 cu ft
4830 (.54948)	48" x 30" x 34¼"	25.25 cu ft
60 (.55042)	60" x 24" x 281/4"	35.3 cu ft



Hougen-Ogura™ 76004PR 40V Cordless Electro-Hydraulic Hole Puncher Kit

764102 (.1087684) ***Special Order Only***

- Produces 16.9 tons of punching pressure
- Can quickly punch through ⅜" materials in 4 seconds
- Includes: 4 ah battery (09788), charger (09787), 9/16" punch & die, tool kit and carrying case



Lightweight Mag Drill

HMD904 0904101 (.743217)

- Large 1-½" x 2" Capacity
- Hidden motor cord reduces maintenance and increases safety
- Pilot light for low light conditions
- 2 year warranty
- Made in the U.S.A
- Includes carrying case, pint of coolant, hex wrenches, and safety chain

RotaFoam™ Cutting Fluid, 12oz.



11747-12 (.985812)

- Environmentally friendly lubricant for all types of metals and metal working applications
- The blue colored gel assures thorough coverage and provides long lasting superior lubrication
- Use with annular cutters, taps, drills, reamers, end mills, & more. Biodegradeable & Non-Toxic



12,000 Series Cutter Kits

- For use with Hougen Portable Magnetic Drills and machine tools operations on materials up to 350 BHN
- Made of hardened, high speed tool steel and precision ground
- ¾" diameter shank

Call For Sizes & Pricing

Rotamagic Cutting Fluid 1gl



11742-4 (.785723)

- water soluble, biodegradable cutting lubricant that yields a 10:1 ratio when mixed with water
- Extends tool life and improves cutter performance, Use with ferrous or non-ferrous materials
- Biodegradable & Non-Toxic



Copperhead Series Cutter Kits

- Carbide tipped cutter for extended tool life when used with Hougen Mag Drills on abrasive and tough-to-cut materials

Call For Sizes & Pricing

CHAMPION CUTTING TOOL CORP



MiniBrute Magnetic Drill Press

AC35 (.784168)

- Powerful & lightweight magnetic drill press
- Cutter capacity: 1-3/8" diameter, 2" depth of cut
- Weight: Only 23 lbs- easy to maneuver around job site
- Motor Power: 1100 Watt
- Motor speed: 600 RPM





Carbide Tipped Hole Cutters

CT7

- Drill fast, accurate holes through steel up to 1" depth
- Ultra-sharp tungsten carbide teeth cut quick, smooth, perfectly round holes
- Flatted shank for use in power drills and drill presses
- Sizes available: 9⁄16", 5⁄8", 11⁄16", 3⁄4", 13⁄16", 7⁄8", 15⁄16", 1", 1 1⁄16", 1 1⁄8", 1 3⁄16", 1 1⁄4", 1 5⁄16", 1 3⁄8", 1 7⁄16", 1 1⁄2", 1 9⁄16", 1 5⁄8". 1 11⁄16", 1 3⁄4", 1 13⁄16", 1 7⁄8", 1 15⁄16", 2", 2 1⁄8", 2 1⁄4" 2 3⁄8", 2 1⁄2" 2 9⁄16", 2 5⁄8", 2 3⁄4", 2 7⁄8", 3" 3 1⁄4", 3 1⁄2", 3 5⁄8", 3 3⁄4", 4", 4 1⁄8", 4 1⁄4", 4 1⁄2"



29pc Brute Jobber Length Twister Drill Set

TWISTER-XL5 (.832563)

- Drill fast accurate holes through tough materials using a power drill, drill press, or CNC machine
- Drill aluminum, steel, stainless steel, titanium alloys and other hard to drill materials
- Self-centering 135° split point for precision drilling - drill will not walk on workpiece



8pc Titanium Coated Bur Kit

BK8P (.863746)

- Includes Sizes: SA5, SC3, SC5, SD5, SF3, SF5, SG3, SL4
- De-Bur Ferrous Metals - steel, stainless steel, titanium, cast iron
- TiN (titanium nitride) coated for superior surface finish and long tool life
- For use in rotary die grinder



BruteLube Wax 2oz

XLUB-WAX-2 (.878935)

- Extends tool life and reduces chip welding during metal drilling, reaming, cutting and tapping
- Wax reduces mess-clings to tool for a continuous shield against friction and heat
- Provides precision finish with closer tolerances on finished work
- Use on steel, stainless steel, aluminum and exotic alloys



3pc Straight Shank Reamer Set

SA80-SET (.882303)

- Includes sizes: ½", ⅝", ¾"
- ½" Flatted shanks for use in power drills and drill presses with ½" chuck capacity
- Left hand helix, right hand cut sheers chips away from operator
- Safety collar stop prevents over-penetration and enhances operator stability

freud



45pc Screwdriving Bit Set

DSC-S45 (.1000900)

- Extreme durability and impact resistance for up to 50X longer life versus standard drive bits
- Magnetic nut setters and drive bit holder includes a permanent magnet to eliminate wobbling by securely gripping screws and hex nuts
- Optimized tip design reduces wear, minimizes breakage and prevents slippage



16pc SPEEDEMON™ Spade Bit Set

DSP2980-S16 (.999646)

- provides one of the fastest, most effortless hole drilling solutions on the market for fast, clean wood
- The high-performance SPEED-TIP design self-feeds for faster hole making when compared to traditional spade bits
- Set includes 16 bits: ¼", 5⁄16", ⅜", 7⁄16", ½, 9⁄16", ⅝", 1 1⁄16", ¾", 13⁄16", ⅞, 1", 1⅛", 1¼", 1⅜" and 1½"



17pc Plumber's Hole Saw Set

DHS17SPL (.934532)

- 2 ⅜" cutting depth for 40% deeper holes in 1 pass and increased productivity
- 1-Size fits all mandrel fits all Diablo hole saws, from ⅝" to 6" diameter
- Tool-free plug ejection for fast material removal



3pc Impact Step Drill Bit Set

DSDS003 (.1077766)

- 3-piece set savings up to 15%
- Split Point Tip (132°) for increased speed,
- maximum durability and up to 6X longer life
- Accu-Grind Technology for up to 2X faster cuts in drilling and hole making



Jig Saw Blade Set for Wood & Metal

DJT10S (.998876)

- 10-Piece Wood and Metal Set provides up to 25% in savings
- T-shank design fits all combo and most U-shank jig saws



7PC Rebar Demon SDS-Plus Hammer Bit Set

DMAPL9920-S7 (.998831)

- Diablo made Dura-Carbide™ withstands impact and high heat applications, dramatically extending life versus standard hammer bits
- Precision Tip delivers stability and accuracy required for fast, precise holes
- Tri-Metal Diffusion Bonding provides heat resistance and prevents breakage of the full-carbide heat for maximum life and productivity

MORSE
THE M. K. MORSE COMPANY



MHS Series Bi-Metal Hole Saws

- Cuts holes with minimal material removal
- Patented tooth set for easier slug removals
- Features side slot for faster slug removal
- 1 15⁄16" (49 mm) cutting depth

Call For Sizes & Pricing





8 pc. Electrician's Hole Saw Kit

MHS02E (.50041)

Advanced bi-metal hole saw kit.
Saws (1 each): 7⁄8", 1 1⁄8", 1 3⁄8", 1 3⁄4", 2", 2 1⁄2"
Arbors (1 each): MA34, MA45PS



13 pc. Maintenance Hole Saw Kit

MHS100 (.51838)

Advanced bi-metal hole saw kit.
Saws (1 each): 3⁄4", 7⁄8", 1 1⁄8", 1 3⁄8", 1 1⁄2", 1 3⁄4", 2", 2-1⁄4", 2-1⁄2"
Arbors (1 each): MA34, MA45PS

18T Porta-Band Saw Blade 44-7/8x1/2 (3-Pack)

ZWEP4418W (.105326)

- Variable pitch blade
- Straight pitch teeth
- Shock-resistant bi-metal teeth efficiently cut machinable metals
- Available in standard .020" (.50mm)



HARDWORKING
FILTERS
FOR ALL OF YOUR EQUIPMENT.



END-TO-END FILTRATION FOR THE MOST DEMANDING REQUIREMENTS.

Donaldson delivers ***complete filter coverage*** for a wide range of equipment used in construction, mining, manufacturing, energy, power generation, and much more...

donaldson.com
shop.donaldson.com
800.374.1374

© 2018 Donaldson Company, Inc.

Donaldson
FILTRATION SOLUTIONS

Call for pricing and availability

4-1/2 x 7/8 Cubitron II Flap Disc 967A

3M™ Cubitron™ II Flap Disc 967A is ideal for medium-pressure applications on flat and contoured surfaces, especially in light deburring or weld leveling to prep for paint in mild steel. It's also great for stainless steel fabrication where finish and gouge resistance are important. Powered by 3M Precision-Shaped Grain, this disc cuts fast and lasts long.

Catalog/Part #	Type	Grit	Max RPM
55605 (.823074)	27	40	13,300
55606 (.823452)	27	60	13,300
55623 (.826375)	29	40	13,300
55625 (.825982)	29	80	13,300



3M™ Silver Depressed Center Grinding Wheels

Premium Performance in a Value-Packed Wheel!



3M™ Silver Depressed Center Grinding Wheels

3M™ Silver Depressed Center Grinding Wheels represent a new class of right angle abrasives - powered by the legendary speed and long life of the 3M™ Precision-Shaped Grain. They are an ideal choice for applications like weld removal, beveling, edge chamfering and more - offering a faster cut and longer life than aluminum oxide and alumina zirconia wheels.

3M™ Silver Depressed Center Grinding Wheel T27

Catalog/Part #	Diameter	Max. RPM	Qty/Box
87453 (.940534)	4½" x ¼" x ⅞"	13,300	10
87450 (.940543)	6" x ¼" x ⅞"	10,200	10
87451 (.940549)	7" x ¼" x ⅞"	8,500	10



3M™ Cubitron II T1 Cut-Off Wheels

3M™ Cubitron™ II Cut-Off Wheel features 3M Precision Shaped Ceramic Grain to bring you an exceptionally fast-cutting and long-lasting wheel for use on almost all materials, including stainless steel, mild steel, and aerospace alloys. This cut-off wheel surpasses 3M™ High Performance wheels in both cut and life to deliver significant gains in productivity.

3M™ Cubitron II Cut-Off Wheel T1

Catalog/Part #	Diameter	Max. RPM	Qty/Box
66525 (.810631)	4½" x ¼" x ⅞"	13,300	10
66527 (.810360)	6" x ¼" x ⅞"	10,200	10



3M™ Silver Cut-Off Wheels

3M™ Silver Cut-off Wheels are a new kind of premium performance wheel designed to be affordable for everyday use. Featuring 3M™ Precision-Shaped Grain technology, these innovative wheels deliver fast, smooth cutting action. For use on all types of ferrous metals, stainless steels and alloy steels. They last longer than aluminum oxide and alumina zirconia wheels.

3M™ Silver Cut-Off Wheel - T1

Catalog/Part #	Diameter	Max. RPM	Qty/Box
87465 (.940553)	4½" x .045" x ⅞"	13,300	25
87469 (.940555)	6" x .045" x ⅞"	10,200	25



3M™ Cubitron II T27 Depressed Center Grinding Wheel

3M™ Cubitron™ II Grinding Wheel is constructed of 3M precision-shaped ceramic grain to bring you an exceptionally fast-cutting and long-lasting rigid bonded wheel for heavy weld removal and other heavy-duty grinding applications. This grinding wheel works well on almost all materials and is specially formulated for use on stainless steel, mild steel, and aerospace alloys.

3M™ Cubitron II Cut-Off Wheel T1

Catalog/Part #	Diameter	Max. RPM	Qty/Box
64320 (.810305)	4½" x ¼" x ⅝"	13,300	10
64314 (.810348)	6" x ¼" x ⅝"	10,200	10

3M™ and Cubitron™ are trademarks of 3M. All other trademarks are the property of their respective owners.

UNITED ABRASIVES SAIT



A60S General Purpose Cut-Off Wheel

- Special aluminum oxide grain
- Extremely fast burr-free cutting with long life
- Exceptional performance

Part No.	Dia.	Arbor	Type	RPM
22021 (.69356)	4½"	⅞"	27	13,300
22047 (.137392)	6"	⅞"	27	10,200
23101 (.100008)	4½"	⅞"	1	13,300
23106 (.130590)	6"	⅞"	1	10,200





A24R Pipeline Grinding General Purpose Wheel



- Aluminum oxide grain
- Designed and manufactured to perform both cutting and light grinding

Part No.	Dia.	Arbor	Grit	RPM
22030 (.54884)	4½"	⅞"	60	13,300
22042 (.130589)	6"	⅞"	60	10,200
22065 (.324803)	9"	⅞"	60	6,600

A24R Long Life Grinding Wheel



- Aluminum oxide grain
- Longer life for fewer wheel changes
- Type 27

Part No.	Size	Max RPM	Arbor
20063 (.9056)	4½"	13,300	⅞"
20079 (.110075)	6"	10,200	⅞"

A24R Portable Saw Wheel



23420 (.15703) ***12 x 1/8 x 20mm***

- Special aluminum oxide grain
- Provides consistent performance with long life



Ovation Jumbo Flap Disc

- Heavy duty zirconium grain, designed for high pressure applications
- Durable polyester backing for reduced edge wear and long life
- High density: 40% more material than regular density flap disc
- Free of iron, chlorine and sulphur compounds (Fe + Cl + S < 0.1%)

Part No.	Dia.	Arbor	Grit	RPM
78008 (.714762)	4½"	⅞"	60	13,300
78038 (.794615)	6"	⅞"	60	10,200

SAIT Pro Metal Portable Saw Wheel



24140 (.780154) ***14 x 1/8 x 20mm***

- Aluminum oxide grain
- Best value for a fast cut

osborn



Economy Garage Broom



81251 (.140632) ***18"***
81252 (.140631) ***24"***

- Ideal for sweeping on semi-smooth surfaces such as wood, concrete, factory and shop floors
- durable construction and materials and an affordable price point
- The broom's blocks have threaded holes for wood or fiberglass handles, and your choice of fill materials are staple-set for longer service life

Polypro Broom



81207 (.713249) ***24"***
81209 (.749261) ***36"***

- For smooth surfaces, such as wood, tile, linoleum or smooth concrete
- Each block includes threaded holes to accept wood or fiberglass handles

Black Tampico Broom

81211 (.368495) ***18"***
81212 (.190055) ***24"***

- Durable, economical line of quality products for both industrial and DIY applications
- Each block has threaded holes for wood or fiberglass handles

5' Wood Handle w/Metal Threads



77015 (.139592)

- For smooth surfaces, such as wood, tile, linoleum or smooth concrete
- Each block includes threaded holes to accept wood or fiberglass handles

8" Counter Duster



54005 (.139583)

- Black tampico material
- 2 ½" trim length
- For heavier material removal

Justrite™



90gal Yellow Flammable Safety Cabinet w/Self-Closing Doors

899020 (.1038849)

- Designed for the safe storage of chemicals and flammable liquids
- Exterior dimensions of 65" H x 43" W x 34" D
- Complies with OSHA, NFPA 30, NFPA 1 and IFC



5gl Yellow Type 1 Diesel Can w/Funnel

7150210 (.850581)

- Color coding avoids accidents
- Self-closing lid controls spills
- Approved by FM, UL/ULC, and TUV; meets OSHA and NFPA requirements



5gl Red Type 1 Gas Can w/Funnel

7150110 (.850579)

- Self-closing lid controls spills
- Leakproof, auto-venting lid prevents explosion
- Approved by FM, UL/ULC, and TUV; also meets OSHA and NFPA requirements



2gl Red Type 1 Gas Can w/Funnel

7120110 (.850582)

- Self-closing lid controls spills
- Leakproof, auto-venting lid prevents explosion
- Approved by FM, UL/ULC, and TUV; also meets OSHA and NFPA requirements

WILTON

Classic C-Clamps



- Drop-forged steel frame, regular-duty with extra deep throat
- Black oxide coated spindles and Perma-pad® resist corrosion, and are replaceable

Catalog/Part #	Jaw Opening	Throat Depth
14214 (.832368)	0" - 2⅛"	2¼"
14228 (.832369)	0" - 3"	2½"
14242 (.832370)	0" - 4¼"	3¼"
14256 (.801432)	0" - 6 1/16"	4⅛"
14270 (.801434)	0" - 8¼"	5"



Spark Duty Hi-Viz C-Clamp



WL9-20481 (.832351) ***3"***
WL9-20483 (.796436) ***4"***
WL9-20485 (.832354) ***8"***
WL9-20486 (.832355) ***10"***

Copper plated spindle and Perma-pad® for resistance to welding spatter and corrosion, and are replaceable

- Drop forged, regular duty with extra deep throat
- V grooved anvil allows secure holding of all materials including rounds, squares and flats scratches and provides a tough durable surface

5" Mechanics Hi-Vis Vise



WL9-63187 (.854081)

- 5" jaw width, 5¼" opening capacity, 3¾" throat depth, ¼" - 2½" pipe jaw capacity
- Safety color confirms to OSHA standard for physical hazards; Regulation #1910.144
- Replaceable serrated top jaws and pipe jaws
- 360° swivel base and double lock downs

5" Utility Bench Vise



WL9-28819 (.117632)

- 5½" jaw width, 5" opening capacity, 3¼" throat depth
- 180° swivel base with lockdown allows for quick and easy positioning
- Special edition black powder coat paint resists scratches and provides a tough durable surface

JET



Pallet Jack

161009 (.809244)

- a low profile of less than 3 inches, width of 27 inches, and a length of 48 inches
- High quality welded steel construction gives the PTW series a capacity of 6,000 pounds
- 200 degree turning radius


12" F-Clamp regular Duty



86210 (.832503)

- Black oxide spindle resists wear and tear while impeding rust
- Drop forged arm provides minimal flex under heavy work loads
- Swivel pad centers on workpiece for a sturdy hold

18" F-Clamp regular Duty



86220 (.829101)

- Black oxide spindle resists wear and tear while impeding rust
- Drop forged arm provides minimal flex under heavy work loads
- Swivel pad centers on workpiece for a sturdy hold

CRESCENT



150pc Mechanics Tool Set

CTK150 (.1020551)


- Meets or exceeds ANSI and ASME specifications
- Includes blow mold case for storage and organization
- Contains a carefully selected assortment of hand tools needed for most industrial, mechanical and consumer applications



Vortex Socket Adapter Set

CAVAD2R-3 (.1032264)

- Torsion design delivers maximum performance for impact application
- Optimized tip geometry for best fit
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and long lasting durability



10" & 12" Tounge and Groove 2pc Plier Set

RT400SGSET2 (.956942)



- Unique tooth design grips tighter, giving you increased torque using less effort
- Integrated non-marring Grip Zone™ pipe grip area in the handle, made of high-impact rubber
- Angled teeth for increased grip on pipes and fasteners

CRESCENT Wiss

Metalmaster® Compound Action Snips

- Length: 9¾"
- Cutting capacity: 1⅜"
- Cuts material up to 18 gauge carbon steel
- Non-slip grips

M1R (.8008) - Cuts straight to left
M2R (.9745) - Cuts straight to right
M3R (.10588) - Cuts straight, left, right



6" Electrician's Data Pro Shears

CW5T (.1019447)



- Integrated wire strippers in scissor blade for quick and easy stripping of 19 and 23 AWG wires
- Serrated outside edges of blades for reaming knockouts and conduit
- Grip-Zone area for tightening wire nuts and crimping low voltage connections

Auto Retracting Safety Utility Knife

WKAR2 (.909275)



- Blade automatically retracts when blade exits material being cut, even if the slider is in the forward position. Quick and easy blade change.

CRESCENT Lufkin

7" Ex6 Aluminum Casting Square

LSSP6-07 (.992854)



- 6" fold out extension arm eliminates the need for a 7" and 12" square
- Quick access thumb lock releases the fold out extension and locks it back into place after use

Measure & Cut Trade Pack 2pc

CTTKAP (.1028018)



- Diamond-coated end hook grabs material from every direction and prevents slippage
- Narrow blade technology offers reduced weight when carrying a tape all day on the job site
- Matte nylon blade provides extended product life



Magnetic I-Beam Level

500M.24 (.976254) ***24"***

500M.48 (.976255) ***48"***

- .0005"/inch accuracy in all working positions
- Impact resistant acrylic mono vials offer superior durability
- All metal I-Beam frame offers superior durability



9" Aluminum Torpedo Level

EM81.9 (.54136)

- Strong and compact making it ideal for work in tight places
- Top read window for easy overhead viewing
- Magnetic edge frees hands



12" Steel Combination Square

E250 (.49854)

- Etched steel blade with heavy-duty machined square head
- Hardened scriber marks surfaces
- Self-aligning draw bolt for quick measurement changes

7" Heavy Duty Rafter Square

2990 (.423078)

- Solid aluminum extruded square will not bend or break
- Conversion tables for common application needs
- Made in the USA






Magnetic Clean Club

27058 (.820010)

- Powerful magnetic head
- Aluminum shaft extends to 40-Inch
- Lifts nails, screws, nuts, bolts, small machined parts



16"x24" Blue Hi-Viz Aluminum Framing Square

1190 (.785701)

- High visibility, deep stamped, long lasting graduations
- 24" by 12" body, 16" by 1/2" tongue, 1/8" thick, includes 1/8, 1/10, 1/12 and 1/16" stamped graduations and conversion tables
- Anodized aluminum construction will not rust

3"x1000' Red Danger Tape

77-1004 (.895997)

- Used for setting off areas under construction, parking lot sections, or dangerous areas that require warnings
- Brightly colored with bold, black message in 2 in. letters on red tape
- durable and reusable to keep sites safe



3"x1000' Yellow Caution Tape

77-1001 (.865721)

- Plastic remains pliant in cold weather
- Designed for general purpose roping off of construction areas
- Made in the USA



STANLEY

MADE IN USA WITH GLOBAL MATERIALS™



6-in-1 Screwdriver



68-012 (.139445)

- Shaft is flexible to allow working in difficult to access areas

Includes:

- 10 replaceable 1/4 in bits and an adaptor



6pc Combo Screwdriver Set

66-565 (.697703)

- Vinyl grip handle for comfort
- Durable alloy steel blade
- Precision-formed tips for a secure fit
- Chrome-plated bars for corrosion resistance

Quick-Change Utility Knife



10-499 (.3378)

- QUICK BLADE CHANGES: No screwdriver required
- FLEXIBLE BLADE POSITIONING: Choose between 3 different positions with retractable blade slide
- STORAGE FOR UP TO 5 BLADES in swing-out compartment in handle



Power Lock Tape

- Cast-metal case is durable and suitable for heavy-duty use
- Mylar® polyester film extends life of entire blade
- Secure blade lock won't creep during measurements

Cat./Part #	Length
33-312 (.27813)	12'
33-116 (.1275)	16'
33-425 (.3090)	25'
33-430 (.4569)	30'
33-835 (.90445)	35'

Folding Utility Knife



10-855 (.822763)

- One-handed open/close
- Quick no-tools blade changing
- Aluminum design is durable and lightweight

Utility Knife Blades 5pk



11-921 (.52451)

- Precision-honed edge for consistent and extended cutting life
- Fits most standard utility knives
- Limited Lifetime Warranty

While Supplies Last



M18 Hammerdrill, Impact, Recip Saw Combo w/Packout Kit

2997-23SPO (.971365)

Includes

- M18 Fuel ½" Hammer Drill/Driver
- M18 Fuel ¼" Hex Impact Driver
- TM18 Fuel Sawzall Reciprocating Saw with Blade
- (2) M18 Redlithium XC5.0 AH Battery Pack
- M18 & M12 Multi-Voltage Charger
- PACKOUT Rolling Tool Box

$519.00



4-1/2" Slicer Wheel 10pc Promo Tin

655832010 (.1010813)

- Ten Pack of Slicer Cutting Wheels in a tin
- Steel/Stainless Steel
- Contaminent Free
- For general purpose cutting of stainless steel, carbon steel, aluminum

$9.99



6" Side Cutting Pliers

D201-6NE (.960387)

- Sure-gripping, cross-hatched knuried jaws
- Overall length: 6-5⁄16″
- Jaw length: 1-3⁄32″
- Jaw thickness: ½″

$22.99



20V MAX* 1/4" Impact Driver w/Packout Kit

DCF887D1E1 (.1060210)

Includes

- DCF887 20V MAX* XR® ¼" 3-Speed Impact Driver
- DCBP034 20V MAX* DEWALT POWERSTACK(TM) Compact Battery
- DCB203 20V MAX* 2Ah Battery
- Belt Hook
- Charger
- Kit Bag

$199.00



Retractable Utility Gold Knife

20353SSRK1 (.691725)

- One Piece titanium nitride coated nose resists wear and eliminates spreading
- Three shatterproof titanium nitride coated edge blades included
- Quick blade release allows rotation or changing of blade without opening handle
- Retractable knife stores up to five blades

$10.99



1gl Clear Image Glass Cleaner

19204-00 (.1080137)

- Cuts through grease, smudges, fingerprints and soils
- Powerful cleaning agents remove tough soil
- No ammonia odor

$10.99

American Producers has access to Motorola Business Radios, Commercial Radios, and all accessories. Contact your AP rep for a quote today!

MOTOROLA SOLUTIONS RADIOS

BPR40 SERIES



- High Powered 4/5 watt Analog
- 8-16 Channels
- 350,000 Sq Ft or 30 Floors
- Mil Spec C, D, E, F - IP54
- 15 Hr Battery

CLS SERIES



- 1 watt Analog
- 1 Channels
- 100,000 Sq Ft or 10 Floors
- Mil Spec C, D, E, F ,G - IP54
- 18 Hr Battery Life

RM SERIES



- 2 Watt Analog
- 4-8 Channels
- 250,000 Sq. Ft. or 20 Floors
- Mil Spec C, D, E, F, G - IP54
- 16.5 Hr Battery

MOTOROLA COMMERCIAL RADIOS

R2 SERIES



- 4/5 Watt Analog/ Digital
- 16 Channels
- Mil Spec C, D, E, F, G - IP55
- Up to 18.5 Hour Battery Life in Digital Mode

CP100d SERIES



- 4/5 Watt Analog/ Digital
- 16 Channels
- Mil Spec C, D, E, F, G - IP54
- Up to 20 Hour Battery Life in Digital Mode

SL300 SERIES



- 3 Watt Analog/ Digital
- 2-99 Channels
- Mil Spec C, D, E, F, G - IP54
- Up to 15 Hour Battery Life in Digital Mode

MOTOROLA RADIO ACCESSORIES



HKLN4606



HKLN4604



PMLN6384



PMLN6588



PMLN4173



CB300

Speaker mics, earpieces, multi-unit chargers, single unit chargers, call boxes and more available for Motorola Two Way Radios!
Optimize your communications with Motorola Radio Accessories.

MOTOROLA SOLUTIONS
VALUE ADDED RESELLER

GENERAC®



Generac Automatic Standby Generator

Revolutionizing the 21st century electrical grid.



Generac Portable Generator

Improve energy resilience and independence

Optimize energy efficiency and consumption

Protect and build critical infrastructure



Generac Portable Generator